

Xerox® Baltoro™ HF Production Inkjet Press Tested Substrate List (TSL) for Pre Sale

26-Jul-2022

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group. All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

Baltoro Approved Papers (Single Dryer Configuration)

Plain and Inkjet Treated:
16 lb Bond (60 gsm) to 100 lb Cover (270 gsm)

Coated Stocks:
61 lb (90 gsm) to 100 lb (148 gsm)

Thickness ≤ .30 mm

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
1	Europe		Antalis	Business		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
2	Europe		Antalis	Cocoon Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
3	Europe		Antalis	Cocoon PrePrint		90	Plain	not specified	Untreated Uncoated	100	A4	Optimized for Speed	No
4	Europe		Antalis	Cyclus PrePrint		90	Plain	not specified	Untreated Uncoated	100	A4	Optimized for Speed	No
5	Europe		Antalis	Data Copy		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
6	Europe		Antalis	Edixion Offset		80	Plain	not specified	Untreated Uncoated	0	270 mm x 350 mm	Optimized for Speed	No
7	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
8	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
9	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
10	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
11	Europe		Antalis	Image Digicolor		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
12	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
13	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
14	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
15	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Color	No
16	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
17	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
18	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
19	Europe		Antalis	Image Digicolor		280	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
20	Europe		Antalis	Image Indigo		100	Plain	not specified	Untreated Uncoated	0	SRA3+	Optimized for Speed	No
21	Europe		Antalis	Novatech Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
22	Europe		Antalis	Novatech Digital Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
23	Europe		Antalis	Novatech Digital Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
24	Europe		Antalis	Novatech Digital Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
25	Europe		Antalis	Novatech Matte		100	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
26	Europe		Antalis	Olin Regular Absolute White		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
27	Europe		Antalis	Printspeed Offset		60	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
28	Europe		Antalis	Printspeed Offset		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
29	Europe		Antalis	Printspeed Offset		90	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
30	North America		Appvion	Superior Carbonless 3-Part Straight PN 5911		79	Carbonless	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
31	North America		Appvion	Superior Carbonless 2 -Part Reverse PN 5789		79	Carbonless	not specified	Inkjet Treated Uncoated	0	9 x 11	Optimized for Color	No
32	North America		Appvion	Superior Carbonless 2-Part Reverse PN 5891		79	Carbonless	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
33	North America		Appvion	Superior Carbonless 3-Part Reverse PN 5900		79	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
34	North America		Appvion	Superior Carbonless 4-Part Straight PN 5925		79	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
35	North America		Appvion	Triumph Universal	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
36	Europe		Arctic	Arctic Silk+		130	Coated	Silk	Untreated Matte Coated	0	210 mm x 400 mm	Optimized for Color	Yes
37	Europe		Arctic	G-Print		100	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
38	Europe		Arctic	Munken Premium Cream		80	Plain	not specified	Untreated Uncoated	0	320 mm x 440 mm	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
39	Europe		Arctic	Munken Premium Cream		90	Plain	not specified	Untreated Uncoated	0	320 mm x 440 mm	Optimized for Speed	No
40	North America		Boise	Aspen30	20 B	75	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
41	North America		Boise	Polaris Premium Multipurpose	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
42	North America		Boise	Polaris Premium Multipurpose	28 B	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
43	North America		Boise	X-9	20 B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No
44	North America		Boise	X-9	24 B	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
45	Europe		Burgo	Experia Digisilk		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
46	Europe		Burgo	Experia Digisilk		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
47	Europe		Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated Matte Coated	0	A3	Optimized for Color	Yes
48	Europe		Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
49	Europe		Clairefontaine	Clairalfa		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
50	Europe		Clairefontaine	Clairejet 400		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
51	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
52	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
53	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
54	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
55	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
56	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
57	Europe		Clairefontaine	Digital Copy Print		200	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
58	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
59	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
60	Europe		Clairefontaine	Eminent		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
61	Europe		Clairefontaine	Evercopy Plus		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
62	Europe		Clairefontaine	Evercopy Premium		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
63	Europe		Clairefontaine	Evercopy Premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
64	Europe		Clairefontaine	Everprint White		110	Plain	not specified	Untreated Uncoated	100	SRA3	Optimized for Speed	No
65	Europe		Clairefontaine	Everprint White		150	Plain	not specified	Untreated Uncoated	100	SRA3	Optimized for Speed	No
66	Europe		Clairefontaine	Laser 2800		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
68	Europe		Clairefontaine	Trophee Green		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
69	Europe		Clairefontaine	Trophee Orange PN 1769		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
70	Europe		Clairefontaine	Trophee Rose		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
71	North America	NEW	Contract Paper Group	Scholastic Copy		75	Plain	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
72	North America		CTP Solutions	CTP / Inkjet Media Solutions DocuCopy ID Cards 90# White Index FoldOver Inkjet Style	90 Index	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
73	North America		CTP Solutions	CTP / Inkjet Media Solutions Double Parallel Fold PSFPRL	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
74	North America		CTP Solutions	CTP / Inkjet Media Solutions Double Post Card - No Window PSDBPCD	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
75	North America		CTP Solutions	CTP / Inkjet Media Solutions Double TransVue Window PSEPRBC - TB	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
76	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
77	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
78	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
79	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
80	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
81	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
82	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
83	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
84	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 140 Label 8 Up Label Size 8" x 4.25		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
85	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
86	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
87	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
88	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
89	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
90	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
91	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
92	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
93	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
94	North America		CTP Solutions	CTP / Inkjet Media Solutions Pressure Seal V-fold PSEMPV	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
95	North America		CTP Solutions	CTP / Inkjet Media Solutions Return Envelope PSF2W	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
96	North America		CTP Solutions	CTP / Inkjet Media Solutions Security Grade Check Stock - Blank PSEPRZ	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
97	WW		CVG	Crown Letsgo Bright Matte	61 T	90	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	12 x 18	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
98	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	12 x 18	Optimized for Color	Yes
99	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
100	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA4	Optimized for Color	Yes
101	WW		CVG	Crown Letsgo Bright Silk		235	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
102	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
103	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		115	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
104	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		170	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
105	WW		CVG	Crown Letsgo High Performance		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
106	WW		CVG	Crown Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
107	WW		CVG	Crown Letsgo High Performance		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
108	WW		CVG	Crown Letsgo Matte 3rd Gen		90	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
109	WW		CVG	Crown Letsgo Matte 3rd Gen		115	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
110	WW		CVG	Crown Letsgo Silk 3rd Gen		70	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
111	WW		CVG	Crown Letsgo Silk 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
112	WW		CVG	Crown Letsgo Universal 3rd Gen		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
113	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Color	No
114	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
115	North America		Digitabs	Printable Plain Blank Tabs 7 cut, Reverse Collated White	90 Index	162	Plain	not specified	Untreated Uncoated	0	9 x 11	Optimized for Speed	No
116	North America	NEW	Digitabs	Printable Plain Blank Tabs 5 cut, Reverse Collated White	90 Index	162	Plain	not specified	Untreated Uncoated	0	9 x 11	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
117	North America	NEW	Digitabs	Printable Plain Blank Tabs 7 cut, Straight Collated White	90 Index	162	Plain	not specified	Untreated Uncoated	0	9 x 11	Optimized for Speed	No
118	North America	NEW	Digitabs	Printable Plain Blank Tabs 5 cut, Straight Collated White	90 Index	162	Plain	not specified	Untreated Uncoated	0	9 x 11	Optimized for Speed	No
119	North America		Domtar	Cougar Digital Choice Color Copy Super Smooth PN 3180	24 B	90	Plain	Super Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
120	North America		Domtar	Cougar Digital Color Copy Super Smooth PN 2707	60 T	90	Plain	Super Smooth	Untreated Uncoated	0	13 x 19	Optimized for Speed	No
121	North America		Domtar	Cougar Digital Opaque Offset Smooth PN 3390	60 T	90	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
122	North America		Domtar	Cougar Digital Opaque Offset Smooth PN 3391	70 T	104	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
123	North America		Domtar	Cougar Digital Smooth PN 2223	24 B	90	Plain	Smooth	Untreated Uncoated	0	13 x 19	Optimized for Speed	No
124	North America		Domtar	Cougar Digital Smooth PN 2834	24 B	90	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
125	North America		Domtar	Cougar Opaque Smooth	50 T	75	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
126	North America		Domtar	Cougar Super Smooth PN 2706	60 T	90	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
127	North America		Domtar	Cougar Super Smooth PN 2754	80 T	118	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
128	North America		Domtar	Cougar Super Smooth PN 2768	80 C	216	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
129	North America		Domtar	Cougar Super Smooth PN 2772	100 C	270	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
130	North America		Domtar	Cougar Super Smooth PN 2744	70 T	104	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
131	North America		Domtar	DomtarCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
132	North America		Domtar	Earth Choice Ivory Vellum Opaque PN 81062	60 T	90	Plain	Vellum	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
133	North America		Domtar	Husky Copy	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
134	North America		Domtar	Husky Digital Opaque PN 2172	60 T	90	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
135	North America		Domtar	Husky Digital Opaque PN 2173	70 T	104	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
136	North America		Domtar	Husky Digital Opaque PN 5462	60 T	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
137	North America		Domtar	Husky Digital Smooth	50 T	74	Plain	Smooth	Untreated Uncoated	10	12 x 18	Optimized for Speed	No
138	North America	NEW	Domtar	HuskyJet	50 T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	Letter	Optimized for Color	No
139	North America		Domtar	Husky Opaque Offset	70 T	104	Plain	not specified	Untreated Uncoated	0	14 x 19	Optimized for Speed	No
140	North America		Domtar	Husky Recycled Digital PN 9268	24 B	90	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
141	North America		Domtar	LeafJET	20 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
142	North America		Domtar	Lettermark PN 3977	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
143	North America		Domtar	Lettermark PN 3970	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
144	North America		Domtar	Lettermark PN 3972	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
145	North America		Domtar	Lettermark PN 3973	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
146	North America		Domtar	Lettermark PN 3976	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
147	North America		Domtar	Lettermark Premium PN 3990	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
148	North America		Domtar	Lettermark Premium PN 3992	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
149	North America		Domtar	Lettermark Premium PN 3993	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
150	North America		Domtar	Lynx Digital PN 630400	60 T	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
151	North America		Domtar	Lynx Digital PN 630700	60 T	90	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
152	North America		Domtar	Lynx Digital PN 630800	70 T	104	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
153	North America		Domtar	Lynx Digital PN 639829	80 C	216	Plain	Smooth	Untreated Uncoated	0	19 x 13	Optimized for Speed	No
154	North America		Domtar	Lynx Digital Opaque PN 639633	80 T	120	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
155	north America		Domtar	Lynx Digital Opaque PN 639634	100 T	148	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
156	North America		Domtar	Lynx Digital Opaque PN 639637	100 C	270	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
157	North America		Domtar	Lynx Digital Satin	24 B	90	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
158	North America		Domtar	Lynx Digital Smooth	65 C	176	Plain	Smooth	Untreated Uncoated	10	12 X 18	Optimized for Speed	No
159	North America		Domtar	LynxJET	60 T	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
160	North America		Domtar	LynxJET	70 T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
161	North America		Domtar	LynxJET PN 600952	60 T	89	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
162	North America		Domtar	LynxJET PN 600955	70 T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
163	North America		Domtar	LynxJET 7 POINT PN 5267		125	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
164	North America		Domtar	LynxJET 9 POINT PN 5268		147	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
165	North America		Domtar	WillCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
166	North America		Domtar	WillCopy Custom Cuts 1 Perf at 3 2/3 inches PN 851032	20 B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
167	WW		Double A	Double A Color Print		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
168	WW		Double A	Everday	20 B	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
169	WW		Double A	Everday	20 B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
170	WW		Double A	Premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
171	Europe		Drewsen	CBS1		95	Security	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
172	Europe		Drewsen	ProCopy		200	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
173	Europe		Drewsen	Watermarked Security Paper		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
174	Europe		Fedrigoni	Splendorgel Extra White		100	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Speed	No
175	Europe		Fedrigoni	Splendorgel Extra White		115	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Speed	No
176	Europe		Fedrigoni	Splendorgel Extra White		140	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
177	Europe		Fedrigoni	Splendorgel Extra White		160	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
178	Europe		Fedrigoni	Splendorgel Extra White		190	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
179	Europe		Fedrigoni	Splendorgel Extra White		230	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
180	Europe		Fedrigoni	Splendorgel Extra White		270	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
181	Europe		Fedrigoni	Splendorgel Extra White		300	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
182	Europe		Fedrigoni	Symbol Freelifa Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
183	North America	NEW	Global Office Paper	Premium High Bright	50 T	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
184	North America		Finch	Finch 94	60 T	90	Plain	not specified	Untreated Uncoated	0	12.25 x 18.25	Optimized for Speed	No
185	North America		Finch	Opaque Digital Bright White PN 1008-6015	60 T	89	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
186	North America		Finch	Opaque Digital Bright White PN 1008-7015	70 T	104	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
187	North America		Finch	Opaque Digital Bright White PN 1008-8015	80 T	118	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
188	North America		Finch	Opaque Digital Bright White PN 2508-0017	100 C	270	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Color	No
189	North America		Finch	Opaque Digital Bright White PN 2508-8017	80 C	216	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Color	No
190	North America		Finch	Smartbook Jet Text	70 T	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	13 x 19	Optimized for Speed	No
191	North America		GPA	Dry Toner 50# White Uncoated Permanent 10-up Labels	60 T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
192	WW		GPA	Dry Toner X White Satin	70 T	105	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
193	WW		GPA	Dry Toner X White Satin	80 T	118	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
194	WW		GPA	Dry Toner X White Satin	100 T	148	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
195	North America		GPA	GPA Dry Toner 60# Offset White / Permanent Adhesive / 80# U-Split Liner		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
196	North America		GPA	White Dull Text DM1WDT100P	100 T	148	Coated	Dull	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
197	Europe		Hadera	CopyKal Business		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
198	Europe		Hadera	Digital Word Elenfer C2S Art Paper		128	Coated	Silk	Inkjet Treated Uncoated	0	350 mm x 500 mm	Optimized for Color	Yes
199	Europe		Hadera	Hadera Top		170	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
200	North America		Huge Papers	Nice Art Silk	80 T	118	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
201	Europe		Igepa	Igepa Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
202	Europe		Igepa	Igepa Soporset Premium Offset		120	Plain	not specified	Inkjet Treated Uncoated	0	320 mm x 432 mm	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
203	North America		Impact	High Tech Xeroxgraphic	20 B	75	Plain	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
204	North America		Impact	Xerographic	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
205	Europe		Inapa	Pro Laser		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
206	Europe		Inapa	Tecno MultiSpeed		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
207	North America		InfoSeal	InfoSeal FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
208	North America		InfoSeal	InfoSeal FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
209	North America		InfoSeal	InfoSeal FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
210	North America		InfoSeal	InfoSeal FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
211	North America		InfoSeal	InfoSeal FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
212	North America		InfoSeal	InfoSeal FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
213	North America		InfoSeal	InfoSeal FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
214	North America		InfoSeal	InfoSeal FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
215	North America		InfoSeal	InfoSeal FS 140 Label 8 Up Label Size 8" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
216	North America		InfoSeal	InfoSeal FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
217	North America		InfoSeal	InfoSeal FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
218	North America		InfoSeal	InfoSeal FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
219	North America		InfoSeal	InfoSeal FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
220	North America		InfoSeal	InfoSeal FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
221	North America		InfoSeal	InfoSeal FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
222	North America		InfoSeal	InfoSeal FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
223	North America		InfoSeal	InfoSeal FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
224	North America		InfoSeal	InfoSeal FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
225	North America		InfoSeal	Double Post Card - No Window PSDBPCD	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
226	North America		InfoSeal	Blank 28# PSFEZ	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
227	North America		InfoSeal	BW 28# PSEPRC	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
228	North America		InfoSeal	Pressure Seal V-fold PSEMPV	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
229	North America		InfoSeal	90# Tag PSEFLPTB		146	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
230	North America		InfoSeal	TB Double TransVue Window PSEPRBC	28 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
231	North America		InfoSeal	Blank - Security Grade Check Stock PSEPRZ	24 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
232	North America		InfoSeal	Return Envelope PSF2W	24 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
233	North America		InfoSeal	Double Parallel Fold PSFPRL	24 B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
234	North America		Innovative	Innovative UNV21200	50 T	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No
235	Europe		Kabel	ArtiPress Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
236	Europe		Kabel	TerraPress Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
237	Europe		Kabel	TerraPrint Dakota Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
238	North America		Kelly Spicers	Kelly Copy PN 11037A	20 B	75	Plain	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
239	North America		Kelly Spicers	Kelly Digital Coated Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
240	North America		Kelly Spicers	Kelly Digital Coated Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
241	North America		Kelly Spicers	Kelly Digital Coated Silk GL	70 T	104	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
242	North America		Kelly Spicers	Kelly Digital Coated Silk GS	70 T	104	Coated	Silk	Untreated Matte Coated	10	19 x 13	Optimized for Color	Yes
243	North America		Kelly Spicers	Pacesetter Digital Silk	70 T	104	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
244	North America		Kelly Spicers	Pacesetter Digital Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
245	North America		Kelly Spicers	Pacesetter Digital Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
246	North America		Kelly Spicers	Pacesetter Digital Silk GL	70 T	104	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
247	North America		Kelly Spicers	Pacesetter Digital Silk GS	70 T	104	Coated	Silk	Untreated Matte Coated	10	19 x 13	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
248	North America		Kelly Spicers	Pacesetter Silk	80 T	120	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
249	North America		Kelly Spicers	Pacesetter Silk	80 T	120	Coated	Silk	Untreated Matte Coated	10	8.5 x 11	Optimized for Color	Yes
250	North America		Kelly Spicers	Supreme Digital Silk	80 T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
251	Europe		Lecta	Condat Digital Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
252	Europe		Lecta	Condat Digital Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
253	Europe		Lecta	Condat Digital Silk		135	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
254	Europe		Lecta	Condat Digital Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
255	Europe		Lecta	Condat Essential Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
256	Europe		Lecta	Coral Book Ivory		90	Plain	not specified	Untreated Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
257	Europe		Lecta	Coral Book White		100	Plain	not specified	Untreated Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
258	North America		Lecta	Digital Creator	100 T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
259	Europe		Lecta	Garda Satin		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
260	Europe		Lecta	Gardamatt Art		90	Coated	Matte	Untreated Matte Coated	0	350 mm x 500 mm	Optimized for Color	Yes
261	Europe		Lecta	Gardamatt Digital		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
262	Europe		Lessebo	Scandia 2000		130	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
263	North America	NEW	Lindenmeyr Munroe	High Speed Copier Tabs 5 Bank Reverse Collated LM7109		199	Plain	not specified	Untreated Uncoated	0	9 x 11	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
264	Europe		Lyreco	Lyreco Premium		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
265	North America		Made in the USA	Xerographic Copy Paper	20 B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No
266	North America		Mitsubishi	Value InkJet	60 T	90	Inkjet Treated	Matte	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
267	North America		Mohawk	Color Copy 100% Recycled	28 B	104	Plain	Smooth	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
268	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated Uncoated	100	11 x 17	Optimized for Speed	No
269	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
270	North America		Mohawk	ViaLinen Warm White 30% pcw PN 144015	24 B	90	Inkjet Treated	Linen	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
271	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	A4	Optimized for Speed	No
272	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
273	Europe		Mondi	Bio Top 3next		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
274	WW		Mondi	Bio Top HSI	60 T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	13 x 19	Optimized for Speed	Yes
275	Europe		Mondi	Bio Top HSI		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
276	Europe		Mondi	ColorCopy		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	A3	Optimized for Color	No
277	WW		Mondi	ColorCopy		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	12 x 18	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
278	WW		Mondi	ColorCopy	60 T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	13 x 19	Optimized for Speed	Yes
279	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
280	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
281	Europe		Mondi	ColorCopy		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
282	Europe		Mondi	ColorCopyJET		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	A4	Optimized for Color	No
283	Europe		Mondi	ColorCopyJET		90	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
284	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
285	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
286	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
287	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	A4	Optimized for Color	No
288	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
289	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
290	Europe		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
291	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	10	A4	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
292	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	10	SRA3	Optimized for Color	No
293	Europe		Mondi	DNS Premium		60	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Color	No
294	Europe		Mondi	DNS Premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
295	WW		Mondi	DNS Premium		90	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	No
296	WW		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	10	12 x 18	Optimized for Color	No
297	Europe		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
298	Europe		Mondi	Nautilus Classic		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Color	No
299	WW		Mondi	Nautilus Super White HSI		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	10	8.5 x 11	Optimized for Color	No
300	Europe		Mondi	Nautilus Super White HSI		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Color	No
301	Europe		Mondi	Neujet Matte		135	Inkjet Treated	Smooth	Inkjet Treated Uncoated	10	A4	Optimized for Speed	No
302	Europe		Mondi	Neujet Matte		135	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	297 mm x 445 mm	Optimized for Color	No
303	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
304	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	10	A4	Optimized for Color	No
305	WW		Mondi	Pergraphica		100	Plain	not specified	Untreated Uncoated	10	SRA3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
306	WW		Mondi	Premium IQ		80	Plain	not specified	Inkjet Treated Uncoated	10	13 x 19	Optimized for Speed	Yes
307	Europe		Mondi	Premium IQ	n/a	80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
308	WW		Moorim	Nantucket Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
309	WW		Moorim	Nantucket Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
310	WW		Moorim	Nantucket Silk GL	70 T	104	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
311	WW		Moorim	Nantucket Silk GS	70 T	104	Coated	Silk	Untreated Matte Coated	10	19 x 13	Optimized for Color	Yes
312	North America		Moorim	Pro-Digital Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
313	North America		Moorim	Pro-Digital Silk	60 T	90	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
314	North America		Moorim	Pro-Digital Silk GL	70 T	104	Coated	Silk	Untreated Matte Coated	10	13 x 19	Optimized for Color	Yes
315	North America		Moorim	Pro-Digital Silk GS	70 T	104	Coated	Silk	Untreated Matte Coated	10	19 x 13	Optimized for Color	Yes
316	North America		Neenah	Artic White Wove	24 B	90	Plain	Wove	Untreated Uncoated	30	11.25 x 17.25	Optimized for Speed	No
317	North America		Neenah	Artic White Wove	24 B	90	Plain	Wove	Untreated Uncoated	10	11.25 x 17.25	Optimized for Speed	No
318	North America		Neenah	Conservation Digital Cover	80 C	216	Plain	Smooth	Untreated Uncoated	100	12 x 18	Optimized for Color	No
319	North America		OVOL	Copy Paper PN 2750OV	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
320	Europe		Papier Union	Fly Snowwhite		115	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
321	Europe		Papyrus	Arctic Volume White 1.12		150	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
322	Europe		Papyrus	MultiBusiness PN 88156562		260	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
323	Europe		Papyrus	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
324	Europe		Papyrus	PlanoJet		89	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
325	North America		Performance Paper	PerfectLok	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	17 x 11	Optimized for Speed	No
326	North America		Pixelle	Basic 24 lb	24 B	90	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
327	North America		Pixelle	Enhanced Hi Brite 7 Point	100 T	148	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
328	North America		Pixelle	ExcelOne 2 Part Reverse PN 230949		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
329	North America		Pixelle	ExcelOne 3 Part Reverse PN 231585		80	Carbonless	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
330	North America		Pixelle	Pixelle Enhanced PN 229764	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
331	North America		Pixelle	Pixelle Enhanced PN 229987	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
332	North America		Pixelle	Pixelle Enhanced PN 232556	20 B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
333	North America		Pixelle	Pixelle Enhanced PN 232558	20 B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
334	North America		Pixelle	Pixelle Enhanced HiBright	20 B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
335	North America		Pixelle	Pixelle Enhanced HiBright PN 229909	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
336	North America		Pixelle	Pixelle Enhanced HiBright PN 232319	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
337	North America		Pixelle	Pixelle Enhanced HiBrite	20 B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
338	Europe		Premier	Elements Fire		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
339	Europe		Premier	Elements Fire		250	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
340	Europe		Premier Paper	Essential Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
341	South America		Propal	Reprograf Blanco		75	Plain	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
342	South America		Propal	Reprograf Natural		72	Plain	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
343	North America		Resolute	Connect	50 T	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Color	No
344	North America		Rolland	Enviro Digital PN 5654	60 T	90	Plain	not specified	Untreated Uncoated	100	8.5 x 11	Optimized for Speed	No
345	North America		Rolland	Enviro Digital PN 5656	60 T	90	Plain	not specified	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
346	North America		Rolland	Enviro Digital PN 5658	70 T	104	Plain	not specified	Untreated Uncoated	100	11 x 17	Optimized for Speed	No
347	North America		Rolland	Enviro Digital PN 58561	80 C	216	Plain	not specified	Untreated Uncoated	100	13 x 19	Optimized for Speed	No
348	North America		Rolland	Enviro Jet PN 58153	50 T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No
349	North America		Rolland	Enviro Jet PN 62230	45 T	67	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No
350	North America		Rolland	Enviro Jet 140M		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	12 x 18	Optimized for Speed	No
351	North America		Rolland	Enviro Print PN 5619	80 C	216	Plain	not specified	Untreated Uncoated	100	13 x 19	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
352	North America		Rolland	HiTech	60 T	90	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
353	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated Uncoated	30	11.5 x 17.5	Optimized for Speed	No
354	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated Uncoated	30	13 x 19	Optimized for Speed	No
355	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	50 T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No
356	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
357	North America		Rolland	Opaque PN 62794	100 T	148	Plain	Smooth	Untreated Uncoated	30	8.5 x 14	Optimized for Speed	No
358	North America		Rolland	Opaque	100 T	148	Plain	Smooth	Untreated Uncoated	30	11 x 17	Optimized for Speed	No
359	Europe		Sappi	EBB GalerieArt Satin		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
360	Europe		Sappi	EBB GalerieArt Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
361	Europe		Sappi	EBB GalerieArt Satin		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
362	Europe		Sappi	EBB GalerieArt Satin		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
363	Europe		Sappi	EBB GalerieArt Satin		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
364	North America		Sappi	EuroArt Plus	100 T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
365	North America		Sappi	EuroArt Plus Silk	80 T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
366	North America		Sappi	Flo Dull Digital PN K11964	100 T	148	Coated	Dull	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
367	North America		Sappi	Flo Dull Digital PN K11971	80 T	118	Coated	Dull	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
368	Europe		Sappi	GalerieArt Silk		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
369	Europe		Sappi	GalerieArt Silk		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
370	Europe		Sappi	GalerieArt Silk		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
371	Europe		Sappi	GalerieArt Silk		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
372	Europe		Sappi	GalerieArt Silk		150	Coated	Satin	Untreated Matte Coated	0	A4	Optimized for Color	Yes
373	Europe		Sappi	GalerieArt Silk		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
374	Europe		Sappi	Magno Matte		115	Coated	Matte	Untreated Matte Coated	0	A4	Optimized for Color	Yes
375	Europe		Sappi	Magno Matte		130	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
376	Europe		Sappi	Magno Satin		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
377	Europe		Sappi	Magno Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
378	Europe		Sappi	Magno Satin		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
379	Europe		Sappi	Magno Satin		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
380	Europe		Sappi	Magno Satin		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
381	North America		Sappi	McCoy Silk	80 T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
382	North America		Sappi	Opus Dull	80 T	118	Coated	Dull	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
383	North America		Sappi	Opus Dull	100 T	148	Coated	Dull	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
385	North America		Sappi	Opus Dull PN 13655	100 T	148	Coated	Dull	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
386	South America		Sappi	Quatro Plus		90	Coated	Silk	Untreated Matte Coated	0	11 x 17	Optimized for Color	Yes
387	North America		Southern Index	1-up ID Card Paper Inkjet Laminated perf PN 4B1146	60 C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
388	North America		Southern Index	1-up ID Card 7 mil Better Card Laminated Perf PN 4B1180	60 C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
389	North America		Southern Index	2-up ID Card Paper Inkjet Laminated Perf PN 4B1140	60 C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
390	North America		Staples	Staples 30% Recycled Copy Paper	20 B	75	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
391	North America	NEW	Staples	Staples Copy Paper	20 B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
392	Europe		Stora Enso	BergaJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
393	Europe		Stora Enso	BergaJet		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
394	Europe		Stora Enso	Canon Red Label Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
395	Europe		Stora Enso	Lumi Plus		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
396	Europe		Stora Enso	MultiCopy		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
397	Europe		Stora Enso	MultiCopy		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
398	Europe		Stora Enso	MultiCopy		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
399	Europe		Stora Enso	MultiCopy		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
400	Europe		Stora Enso	Plano Dynamic		75	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
401	Europe		Stora Enso	Plano Plus		90	Plain	not specified	Untreated Uncoated	0	A3	Optimized for Speed	No
402	Europe		Stora Enso	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
403	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
404	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
405	Europe		Stora Enso	Superior Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
406	North America		Supreme	Supreme HiBright Copy Paper	20 B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
407	WW		Suzano	Artwork Premium Multipurpose Business Paper		75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
408	WW		Suzano	Artwork Premium Multipurpose Business Paper		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
409	South America		Suzano	Fit Silk		90	Coated	Silk	Untreated Matte Coated	0	A4	Optimized for Color	Yes
410	WW		Suzano	Paperfect SG		60	Plain	not specified	Untreated Uncoated	0	320 mm x 440 mm	Optimized for Speed	Yes
411	WW		Suzano	Paperfect Offset Smooth		60	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
412	North America		Sylvamo	Accent Opaque Digital SuperSmooth with ImageLok	70 T	104	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
413	North America		Sylvamo	Accent Opaque Digital SuperSmooth with ImageLok	80 T	118	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
414	North America		Sylvamo	Accent Opaque Digital SuperSmooth with ImageLok PN 17110	60 T	89	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
415	North America		Sylvamo	Accent Opaque Digital with ColorPro	70 T	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
416	North America		Sylvamo	Accent Opaque Digital with ImageLok PN 288084	70 T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
417	North America		Sylvamo	Accent Opaque Plain	60 T	90	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
418	North America		Sylvamo	Accent Opaque Plain	80 T	120	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
419	North America		Sylvamo	Accent Opaque Super Smooth	65 C	176	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
420	North America		Sylvamo	Accent Opaque Super Smooth	80 C	216	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
421	North America		Sylvamo	Accent Opaque Text White Smooth	70 T	104	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
422	North America		Sylvamo	Accent Opaque Text White Smooth	80 T	118	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
423	North America		Sylvamo	Accent Opaque with ImageLok	70 T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
424	North America		Sylvamo	Accent Opaque with ImageLok Smooth PN 288083	60 T	89	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
425	North America		Sylvamo	Hammermill 3-hole PN 105031	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
426	North America		Sylvamo	Hammermill Copy Plus PN 105023	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
427	North America		Sylvamo	Hammermill Fore MultiPurpose 24lb	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
428	North America		Sylvamo	Hammermill Premium ColorCopy 28 lb	28 B	105	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
429	North America		Sylvamo	Hammermill Premium MultiPurpose PN 105810	24 B	90	inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
430	WW		Sylvamo	JetStar	60 T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
431	WW		Sylvamo	JetStar		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
432	Europe		Sylvamo	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
433	Europe		Sylvamo	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
434	Europe		Sylvamo	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
435	Europe		Sylvamo	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
436	Europe		Sylvamo	PRO-DESIGN		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
437	Europe		Sylvamo	PRO-DESIGN		160	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
438	Europe		Sylvamo	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
439	Europe		Sylvamo	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
440	Europe		Sylvamo	PRO-DESIGN		250	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
441	North America		Sylvamo	Relay MP	20 B	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
442	Europe		Sylvamo	Rey Adagio Blue		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
443	Europe		Sylvamo	Rey Adagio Blue		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
444	Europe		Sylvamo	Rey Adagio Canary		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
445	Europe		Sylvamo	Rey Adagio Gray		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
446	Europe		Sylvamo	Rey Adagio Green		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
447	Europe		Sylvamo	Rey Adagio Intense Blue		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
448	Europe		Sylvamo	Rey Adagio Intense Orange		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
449	Europe		Sylvamo	Rey Adagio Intense Red		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
450	Europe		Sylvamo	Rey Adagio Intense Red		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
451	Europe		Sylvamo	Rey Adagio Ivory		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
452	Europe		Sylvamo	Rey Adagio Pink		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
453	Europe		Sylvamo	Rey Adagio Purple Lilac		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
454	Europe		Sylvamo	Rey Adagio Salmon		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
455	Europe		Sylvamo	Rey Office		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
456	North America		Sylvamo	Springhill Digital Opaque Offset Cream	60 T	90	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
457	North America		Sylvamo	Williamsburg Plus Offset Smooth PN 05306	60 T	89	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
458	North America		Sylvamo	Williamsburg Plus Offset Smooth PN 05324	60 T	89	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
459	North America		Sylvamo	Williamsburg Plus Offset Smooth PN 05335	70 T	104	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
460	WW		The Navigator Company	Discovery		70	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
461	WW		The Navigator Company	EcoLogical		75	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
462	WW		The Navigator Company	Hard Cover PN 989460		250	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
463	WW		The Navigator Company	Inacopia Elite		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
464	WW		The Navigator Company	Inaset Laser Plus		160	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
465	WW	NEW	The Navigator Company	Inaset Plus Digital		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
466	WW	NEW	The Navigator Company	Inaset Plus Digital		100	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
467	WW	NEW	The Navigator Company	Inaset Plus Digital		160	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
468	WW		The Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
469	WW		The Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
470	WW		The Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
471	WW		The Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
472	WW		The Navigator Company	Navigator Bold Design		200	Plain	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
473	WW		The Navigator Company	Navigator Colour Documents UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
474	WW		The Navigator Company	Navigator Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
475	WW		The Navigator Company	Navigator Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
476	WW		The Navigator Company	Navigator Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
477	WW		The Navigator Company	Navigator Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
478	WW		The Navigator Company	Navigator Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
479	WW		The Navigator Company	Navigator Office Card		160	Plain	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
480	WW		The Navigator Company	Navigator Platinum UHD	20 B	74	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
481	WW		The Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
482	WW		The Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
483	WW		The Navigator Company	Navigator Premium Multipurpose	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
484	WW		The Navigator Company	Navigator PrePrint		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
485	WW		The Navigator Company	Navigator PrePrint		100	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
486	WW		The Navigator Company	Navigator PrePrint		160	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
487	WW		The Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
488	WW		The Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
489	WW		The Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
490	WW		The Navigator Company	Pioneer		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
490	WW		The Navigator Company	Soporset Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
491	WW		The Navigator Company	Soporset Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
492	WW		The Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
493	WW		The Navigator Company	Soporset Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
494	WW		The Navigator Company	Soporset Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
495	WW		The Navigator Company	Soporset Opaque Smooth	50 T	75	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
496	WW		The Navigator Company	Soporset Opaque Smooth	80 T	118	Plain	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
497	WW		The Navigator Company	Soporset Opaque Smooth	80 T	118	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
498	WW		The Navigator Company	Soporset Opaque Smooth	63 C	170	Plain	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
499	WW		The Navigator Company	Soporset Opaque Smooth	63 C	170	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
500	WW		The Navigator Company	Soporset Premium Offset		60	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
501	WW		The Navigator Company	Soporset Premium Offset		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
502	WW		The Navigator Company	Soporset Premium Offset		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
503	WW		The Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
504	WW		The Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
505	WW		The Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
506	WW		The Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
507	WW		The Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
508	WW		The Navigator Company	Soporset Premium Offset		160	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
509	WW		The Navigator Company	Soporset PrePrint		80	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
510	WW		The Navigator Company	Soporset PrePrint		100	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
511	WW		The Navigator Company	Soporset PrePrint		160	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
512	Europe		Torras	Security Paper		78	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
513	Europe		UPM	Canon Top Colour Digital		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
514	Europe		UPM	Digi Fine Jet		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
515	Europe		UPM	Digi Fine Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
516	Europe		UPM	Digi Finesse Premium		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
517	Europe		UPM	Digi Finesse Premium		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
518	Europe		UPM	Digi Finesse Premium Text		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
519	Europe		UPM	Digi Finesse Premium Text		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
520	Europe		UPM	Fine		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
521	Europe		UPM	Fine SC		80	Plain	super calandared	Untreated Uncoated	0	A4	Optimized for Speed	No
522	Europe		UPM	Fine SC		90	Plain	super calandared	Untreated Uncoated	0	A4	Optimized for Speed	No
523	WW		UPM	Igepa Maxi Offset		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
524	Europe		UPM	Inapa Bavaria Bulk		80	Coated	Matte	Untreated Matte Coated	0	225 mm x 319 mm	Optimized for Color	Yes
525	Europe		UPM	MaxiOffset		170	Plain	not specified	Untreated Uncoated	0	SRA3+	Optimized for Speed	No
526	Europe		UPM	MaxiOffset NaturOffset		80	Plain	not specified	Inkjet Treated Uncoated	0	320 mm x 430 mm	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
527	Europe		UPM	Office Copy		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
528	Europe		UPM	Office Presentation		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
529	Europe		UPM	PrePersonal Sheets		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
530	Europe		UPM	PrePersonal Sheets		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
531	Europe		UPM	PrePrint		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
532	Europe		UPM	Sol Plus		80	Coated	Matte	Untreated Matte Coated	0	225 mm x 319 mm	Optimized for Color	Yes
533	North America		Veritiv	Econosource Multipurpose PN U50220	20 B	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
534	North America	NEW	Veritiv	Endurance Digital Silk	80T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
535	North America		Veritiv	Endurance Digital Silk	100 T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
536	North America		Veritiv	Endurance Silk PN ED8T52RW	100 T	148	Coated	Silk	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
537	North America		Veritiv	Starbrite Opaque Select Smooth White	40 T	60	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
538	North America		Verso	Anthem Satin GS	70 T	104	Coated	Satin	Untreated Matte Coated	0	19 x 13	Optimized for Color	Yes
539	North America		Verso	Blazer PN 308176	70 T	105	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
540	North America		Verso	Blazer Digital Satin	80 T	118	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
541	North America		Verso	Blazer Digital Satin	100 T	148	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
542	North America		Verso	Sterling Digital Silk	80 T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
543	North America		Xerox	3-Part Straight (W-C-P) Multipurpose PN 003R12855		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
544	North America		Xerox	3-Part Straight (W-C-P) Premium Digital PN 003R12425		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
545	North America		Xerox	2-Part Reverse/Straight (C-W) Multipurpose PN 003R12850		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
546	North America		Xerox	2-Part Straight/Reverse (W-C) Premium Digital PN 003R12420		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
547	North America		Xerox	4-Part Straight (W-C-P-GR) Premium Digital PN 003R12430		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
548	North America		Xerox	Bold PN 3R11540	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
549	North America		Xerox	Bold PN 3R11542	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
550	North America		Xerox	Bold PN 3R11543	24 B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
551	North America		Xerox	Bold PN 3R11760	28 B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
552	North America		Xerox	Bold PN 3R11762	28 B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
553	North America		Xerox	Bold PN 3R11763	28 B	105	Plain	Smooth	untreated Uncoated	0	12 x 18	Optimized for Speed	No
554	North America		Xerox	Bold PN 3R11764	32 B	120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
555	North America		Xerox	Bold PN 3R11765	32 B	120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
556	North America		Xerox	Bold PN 3R11766	32 B	120	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
557	North America		Xerox	Bold PN 3R11767	60 C	163	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
558	North America		Xerox	Bold PN 3R11768	60 C	163	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
559	North America		Xerox	Bold PN 3R11770	80 C	216	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
560	North America		Xerox	Bold PN 3R11771	80 C	216	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
561	North America		Xerox	Bold PN 3R11772	80 C	216	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
562	North America		Xerox	Bold PN 3R11774	100 C	270	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
563	North America		Xerox	Bold PN 3R11775	100 C	270	Plain	Smooth	Untreated Uncoated	0	17 x 11	Optimized for Speed	No
564	North America		Xerox	Bold PN 3R11776	100 C	270	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
565	North America		Xerox	Bold PN 3R20150	28 B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
566	North America		Xerox	Bold with ColorLok 30% Recycled	28 B	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
567	Europe		Xerox	Buisness PN 00391895		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
568	Europe		Xerox	ColorPrint		100	Plain	not specified	Untreated Uncoated	0	A3	Optimized for Speed	No
569	Europe		Xerox	ColorPrint PN 003R95254		90	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
570	Europe		Xerox	ColorPrint PN 003R96602		120	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
571	Europe		Xerox	ColoTech PN 003R99032		280	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
572	Europe		Xerox	ColoTech+		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA4	Optimized for Speed	No
573	Europe		Xerox	ColoTech+ PN 003R95844		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
574	Europe		Xerox	ColoTech+ PN 003R98837		90	Inkjet Treated	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
575	Europe		Xerox	ColoTech+ PN 003R98839		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
576	Europe		Xerox	ColoTech+ PN 003R98845		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
577	Europe		Xerox	ColoTech+ PN 003R98849		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
578	Europe		Xerox	ColoTech+ PN 003R98847		120	Inkjet Treated	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
579	Europe		Xerox	ColoTech+ PN 003R98852		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
580	Europe		Xerox	ColoTech+ PN 003R98975		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
581	Europe		Xerox	ColoTech+ PN 003R99000		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
582	Europe		Xerox	ColoTech+ PN 003R99001		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
583	Europe		Xerox	ColoTech+ PN 003R99006		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
584	Europe		Xerox	ColoTech+ PN 003R99007		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
585	Europe		Xerox	ColoTech+ PN 003R99011		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
586	Europe		Xerox	ColoTech+ PN 003R99014		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
587	Europe		Xerox	ColoTech+ PN 003R99015		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
588	Europe		Xerox	ColoTech+ PN 003R99016		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
589	Europe		Xerox	ColoTech+ PN 003R99019		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
590	Europe		Xerox	ColoTech+ PN 003R99020		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
591	Europe		Xerox	ColoTech+ PN 003R99026		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
592	Europe		Xerox	ColoTech+ Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
593	Europe		Xerox	ColoTech+ Silk	60 T	115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
594	Europe		Xerox	ColoTech+ Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
595	Europe		Xerox	Colour Impressions PN 003R97663		90	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
596	Europe		Xerox	Colour Impressions Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
597	Europe		Xerox	Colour Impressions Silk		100	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
598	Europe		Xerox	Colour Impressions Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
599	Europe		Xerox	Colour Impressions Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
600	Europe		Xerox	Colour Impressions Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
601	WW		Xerox	Digital Paper PN 003R70024		75	Plain	Silk	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
602	Europe		Xerox	Digital Paper PN 103R00924		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
603	Europe	NEW	Xerox	Premier PN 003R98792		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
604	Europe		Xerox	Premier PN 003R91720		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
605	Europe		Xerox	Premier PN 003R91854		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
606	North America		Xerox	Premier PN 003R94787	20 B	75	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
607	WW		Xerox	Premium PN 003R006829	50 T	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
608	WW		Xerox	Premium	50 T	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
609	Europe		Xerox	Premium Digital Carbonless Green CF PN 003R99079		80	Carbonless	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No

Item #	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
610	Europe		Xerox	Premium Digital Carbonless Green CFB PN 00399073		80	Carbonless	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
611	Europe		Xerox	Premium Digital Carbonless White CB PN 003R99069		80	Carbonless	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
612	Europe		Xerox	Premium Digital Carbonless Yellow CFB PN 003R99071		80	Carbonless	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
613	North America		Xerox	Vitality PN 003R02047	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
614	North America		Xerox	Vitality PN 003R02051	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
615	North America		Xerox	Vitality PN 003R02531	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
616	North America		Xerox	Vitality PN 003R03761	20 B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
617	North America		Xerox	Vitality PN 003R03871	24 B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No